

```

<html>
<head>
  <title>IF & ELSE IF</title>
</head>
<body>
  <script type="text/javascript" language="JavaScript">
    var totalpembelian, diskon, totalbayar, item1, item2, item3, item4, item5

    item1 = 0
    item2 = 0
    item3 = 0
    item4 = 0
    item5 = 0

    item1 = prompt("Silakan masukan harga barang 1 : ","none")
    item2 = prompt("Silakan masukan harga barang 2 : ","none")
    item3 = prompt("Silakan masukan harga barang 3 : ","none")
    item4 = prompt("Silakan masukan harga barang 4 : ","none")
    item5 = prompt("Silakan masukan harga barang 5 : ","none")

    item1 = eval(item1)
    item2 = eval(item2)
    item3 = eval(item3)
    item4 = eval(item4)
    item5 = eval(item5)

    document.write ("<b>" + "Ketentuan Diskon yang diberikan" + "</b>" + "<br>");
    document.write ("Total Pembelian lebih dari Rp.80.000 dapat diskon 25 % "+ "<br>");
    document.write ("Total Pembelian lebih dari Rp.60.000 - 79999 dapat diskon 20 % " +
"<br>");
    document.write ("Total Pembelian lebih dari Rp.40.000 - 59999 dapat diskon 15 % " +
"<br>");
    document.write ("-----" + "<br>");
  </script>

```

```

var totalpembelian = item1 + item2 + item3 + item4 + item5

if (totalpembelian >= 80000) {

    diskon = totalpembelian * 0.25

    totalbayar = totalpembelian - diskon

    document.write ("Harga Barang 1 = Rp. " + item1 + "</br>");
    document.write ("Harga Barang 2 = Rp. " + item2 + "</br>");
    document.write ("Harga Barang 3 = Rp. " + item3 + "</br>");
    document.write ("Harga Barang 4 = Rp. " + item4 + "</br>");
    document.write ("Harga Barang 5 = Rp. " + item5 + "</br>");
    document.write ("-----" + "</br>")

    document.write ("<b>" + "Total Pembelian Anda = Rp. " + totalpembelian +
"</b></br>")

    document.write ("Anda mendapatkan diskon 25% = Rp. " + diskon + "</br>")
    document.write ("-----" + "</br>")
    document.write ("Total Bayar Anda = Rp. " + totalbayar );

}

else if ((totalpembelian >= 60000) && (totalpembelian <= 79999)) {

    diskon = totalpembelian * 0.20

    totalbayar = totalpembelian - diskon

    document.write ("Harga Barang 1 = Rp. " + item1 + "</br>");
    document.write ("Harga Barang 2 = Rp. " + item2 + "</br>");
    document.write ("Harga Barang 3 = Rp. " + item3 + "</br>");
    document.write ("Harga Barang 4 = Rp. " + item4 + "</br>");
    document.write ("Harga Barang 5 = Rp. " + item5 + "</br>");
    document.write ("-----" + "</br>")

    document.write ("<b>" + "Total Pembelian Anda = Rp. " + totalpembelian +
"</b></br>")

    document.write ("Anda mendapatkan diskon 20% = Rp. " + diskon + "</br>")
    document.write ("-----" + "</br>")

```

```

        document.write ("Total Bayar Anda = Rp. " + totalbayar );
    }
    else if((totalpembelian >= 40000) && (totalpembelian <= 59999)) {
        diskon = totalpembelian * 0.10
        totalbayar = totalpembelian - diskon
        document.write ("Harga Barang 1 = Rp. " + item1 + "</br>");
        document.write ("Harga Barang 2 = Rp. " + item2 + "</br>");
        document.write ("Harga Barang 3 = Rp. " + item3 + "</br>");
        document.write ("Harga Barang 4 = Rp. " + item4 + "</br>");
        document.write ("Harga Barang 5 = Rp. " + item5 + "</br>");
        document.write ("-----" + "</br>")
        document.write ("" + "Total Pembelian Anda = Rp. " + totalpembelian +
"</b></br>")

        document.write ("Anda mendapatkan diskon 10% = Rp. " + diskon + "</br>")
        document.write ("-----" + "</br>")
        document.write ("Total Bayar Anda = Rp. " + totalbayar )
    }
    else {
        document.write ("Nilai Yang Anda Input Salah")
    }
</script>

</body>
</html>

```