

Windows Form Aplikasi Kasir Kedai Bina Darma

KEDAI BINA DARMA

MENU MAKANAN				MENU MINUMAN			
		Jumlah	Total			Jumlah	Total
Mie Ayam	@ Rp. 10.000	1	10000	Teh Manis	@ Rp. 5000	1	5000
Mie Ayam Bakso	@ Rp. 15.000	2	30000	Boba Manis	@ Rp. 7000	1	7000
Mie Ayam Spesial	@ Rp. 20.000	1	20000	Es Jeruk	@ Rp. 10.000	2	20000
Sate Ayam	@ Rp. 20.000	0	0	Jus Pekat	@ Rp. 15.000	0	0
Sate Kambing	@ Rp. 30.000	0	0	Jus Jeruk	@ Rp. 15.000	0	0
Sate Sapi	@ Rp. 40.000	0	0	Jus Stroberi	@ Rp. 17.000	0	0
Nasi Putih	@ Rp. 5000	0	0				

Prosess **Reset**

KEDAI BINA DARMA
 Total belanja: 32000
 Diskon Belanja: 18400
 Total bayar: 23600
 OK

Properties Window:
 Size: 912, 446
 SizeGripStyle: Auto
 StartPosition: WindowsDefault
 Text: Form1
 TopMost: False
 TransparencyKey: Color

Script

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;

namespace FormKasirOk
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }

        private void label10_Click(object sender, EventArgs e)
        {
    
```

```

}

private void label30_Click(object sender, EventArgs e)
{
}

private void textBox8_TextChanged(object sender, EventArgs e)
{
}

private void textBox1_TextChanged(object sender, EventArgs e)
{
    int ma1 = Int32.Parse(textBox1.Text) * 10000;
    textBox8.Text = System.Convert.ToString(ma1);
}

private void textBox2_TextChanged(object sender, EventArgs e)
{
    int ma2 = Int32.Parse(textBox2.Text) * 15000;
    textBox9.Text = System.Convert.ToString(ma2);
}

private void button1_Click(object sender, EventArgs e)
{
    double hasil;
    int t1, t2, t3, t4, t5, t6, t7, t8, t9, t10, t11, t12, t13;
    t1 = Int32.Parse(textBox8.Text);
    t2 = Int32.Parse(textBox9.Text);
    t3 = Int32.Parse(textBox10.Text);
    t4 = Int32.Parse(textBox11.Text);
    t5 = Int32.Parse(textBox12.Text);
    t6 = Int32.Parse(textBox13.Text);
    t7 = Int32.Parse(textBox14.Text);
    t8 = Int32.Parse(textBox25.Text);
    t9 = Int32.Parse(textBox15.Text);
    t10 = Int32.Parse(textBox16.Text);
    t11 = Int32.Parse(textBox17.Text);
    t12 = Int32.Parse(textBox18.Text);
    t13 = Int32.Parse(textBox19.Text);

    hasil = (t1 + t2 + t3 + t4 + t5 + t6 + t7 + t8 + t9 + t10 + t11 +
t12 + t13);

    MessageBox.Show(" KEDAI BINA DARMA " +
        "\n Total Belanja \t\t : " + hasil );
}

private void button2_Click(object sender, EventArgs e)
{
    Form1 NewForm = new Form1();
    NewForm.Show();
    this.Dispose(false);
}

```

```
}

private void Form1_Load(object sender, EventArgs e)
{

}

private void textBox10_TextChanged(object sender, EventArgs e)
{

}

private void textBox3_TextChanged(object sender, EventArgs e)
{
    int ma3 = Int32.Parse(textBox3.Text) * 20000;
    textBox10.Text = System.Convert.ToString(ma3);
}

private void textBox4_TextChanged(object sender, EventArgs e)
{
    int ma4 = Int32.Parse(textBox4.Text) * 20000;
    textBox11.Text = System.Convert.ToString(ma4);
}

private void textBox5_TextChanged(object sender, EventArgs e)
{
    int ma5 = Int32.Parse(textBox5.Text) * 30000;
    textBox12.Text = System.Convert.ToString(ma5);
}

private void textBox6_TextChanged(object sender, EventArgs e)
{
    int ma6 = Int32.Parse(textBox6.Text) * 40000;
    textBox13.Text = System.Convert.ToString(ma6);
}

private void textBox7_TextChanged(object sender, EventArgs e)
{
    int ma7 = Int32.Parse(textBox7.Text) * 5000;
    textBox14.Text = System.Convert.ToString(ma7);
}

private void textBox12_TextChanged(object sender, EventArgs e)
{

}

private void textBox24_TextChanged(object sender, EventArgs e)
{
    int ma8 = Int32.Parse(textBox24.Text) * 5000;
    textBox19.Text = System.Convert.ToString(ma8);
}

private void textBox23_TextChanged(object sender, EventArgs e)
{
```

```
        int ma9 = Int32.Parse(textBox23.Text) * 7000;
        textBox18.Text = System.Convert.ToString(ma9);
    }

    private void textBox22_TextChanged(object sender, EventArgs e)
    {
        int ma10 = Int32.Parse(textBox22.Text) * 10000;
        textBox17.Text = System.Convert.ToString(ma10);
    }

    private void textBox21_TextChanged(object sender, EventArgs e)
    {
        int ma11 = Int32.Parse(textBox21.Text) * 15000;
        textBox16.Text = System.Convert.ToString(ma11);
    }

    private void textBox20_TextChanged(object sender, EventArgs e)
    {
        int ma12 = Int32.Parse(textBox20.Text) * 16000;
        textBox15.Text = System.Convert.ToString(ma12);
    }

    private void textBox26_TextChanged(object sender, EventArgs e)
    {
        int ma13 = Int32.Parse(textBox26.Text) * 17000;
        textBox25.Text = System.Convert.ToString(ma13);
    }

    private void panel3_Paint(object sender, PaintEventArgs e)
    {
    }
}
}
```

Aplikasi Terdistribusi
Ade Putra, M.Kom.