


Login Form ASP.Net + Database SQL SERVER



Source code design

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Default.aspx.cs"
Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Untitled Page</title>
    <style>

body
{
    background:#ccc;
}

h2
{
    text-align:center;
}

.foreclass
{
    padding:20px;
    padding-top:10px;
    margin:0px auto;
    background:#fff;
    width:200px;
}

    </style>
</head>
<body>
    <div class="foreclass">
        <h2>Silakan Login</h2>
        <form>
            <table border="1">
                <tr>
                    <td>Username:</td>
                    <td><input type="text" /></td>
                </tr>
                <tr>
                    <td>Password:</td>
                    <td><input type="password" /></td>
                </tr>
                <tr>
                    <td colspan="2" style="text-align:center;><input type="submit" value="Login" /></td>
                </tr>
            </table>
        </form>
    </div>
</body>
</html>
```

```

.input
{
    padding:9px;
    padding-top:10px;
    width:180px;
}

.input1
{
    padding:10px;
    width:200px;
}

</style>
</head>
<body>
    <form id="form1" runat="server">
        <div class="foreclass">
            <h2>Silakan Login</h2>
            Username: <asp:TextBox ID="txtUser" CssClass="input"
runat="server"></asp:TextBox>
                <asp:RequiredFieldValidator ID="RequiredFieldValidator1"
runat="server"
                    ErrorMessage="Username masih kosong"
ControlToValidate="txtUser"></asp:RequiredFieldValidator> <br /><br />
            Password: <asp:TextBox ID="txtPass" CssClass="input"
TextMode="Password" runat="server"></asp:TextBox><asp:RequiredFieldValidator
                    ID="RequiredFieldValidator2" runat="server"
ErrorMessage="Password masih kosong"
                    ControlToValidate="txtPass" ></asp:RequiredFieldValidator> <br
/><br />
                <asp:Button ID="btnlogin" CssClass="input1" runat="server"
Text="Login"
                    onclick="btnlogin_Click"/>
        </div>
    </form>
</body>
</html>

```

Coding :

```

using System;
using System.Collections;
using System.Configuration;
using System.Data;
using System.Linq;
using System.Web;
using System.Web.Security;
using System.Web.UI;

```


```
using System.Web.UI.HtmlControls;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Xml.Linq;
using System.Data.SqlClient;

public partial class _Default : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {

    }
    protected void btnlogin_Click(object sender, EventArgs e)
    {
        SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["connect"].ToString());
        con.Open();
        string query = "select count(*) from tbl_user where
username='"+txtUser.Text+"' and pass='"+txtPass.Text+"'";

        SqlCommand cmd = new SqlCommand(query, con);
        string output = cmd.ExecuteScalar().ToString();
        if (output == "1")
        {
            Session["user"] = txtUser.Text;
            Response.Redirect("~/menu.aspx");
        }
        else
        {
            Response.Write("Login Gagal");
        }
    }
}
```

Halaman ke 2 : menu.aspx



Source code design :

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="menu.aspx.cs"
Inherits="menu" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Untitled Page</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            Ini Halaman Menu<br />
            <asp:Label ID="Label1" runat="server" Text="Label"></asp:Label>
            <br />
            &nbsp;<asp:Button ID="btnlogout" runat="server" Text="Logout"
                onclick="btnlogout_Click" />
        </div>
    </form>
</body>
</html>
```

Coding :

```
using System;
using System.Collections;
using System.Configuration;
```

```
using System.Data;
using System.Linq;
using System.Web;
using System.Web.Security;
using System.Web.UI;
using System.Web.UI.HtmlControls;
using System.Web.UI.WebControls;
using System.Web.UI.WebControls.WebParts;
using System.Xml.Linq;

public partial class menu : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
        if (Session["user"] != null)
        {
            Label1.Text = " Selamat Datang " + Session["user"].ToString();
        }
    }
    protected void btnlogout_Click(object sender, EventArgs e)
    {
        Session.Remove("user");
        Response.Redirect("~/Default.aspx");
    }
}
```

Web.config :

```
<?xml version="1.0"?>
<!--
Note: As an alternative to hand editing this file you can use the
web admin tool to configure settings for your application. Use
the Website->Asp.Net Configuration option in Visual Studio.
A full list of settings and comments can be found in
machine.config.comments usually located in
\Windows\Microsoft.Net\Framework\v2.x\Config
-->
<configuration>
    <configSections>
        <sectionGroup name="system.web.extensions"
type="System.Web.Configuration.SystemWebExtensionsSectionGroup,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35">
            <sectionGroup name="scripting"
type="System.Web.Configuration.ScriptingSectionGroup, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35">
                <section name="scriptResourceHandler"
type="System.Web.Configuration.ScriptingScriptResourceHandlerSection,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
```

```
PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="MachineToApplication"/>
    <sectionGroup name="webServices"
type="System.Web.Configuration.ScriptingWebServicesSectionGroup,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35">
        <section name="jsonSerialization"
type="System.Web.Configuration.ScriptingJsonSerializationSection,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="Everywhere"/>
            <section name="profileService"
type="System.Web.Configuration.ScriptingProfileServiceSection,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="MachineToApplication"/>
            <section name="authenticationService"
type="System.Web.Configuration.ScriptingAuthenticationServiceSection,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="MachineToApplication"/>
            <section name="roleService"
type="System.Web.Configuration.ScriptingRoleServiceSection,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="MachineToApplication"/>
        </sectionGroup>
    </sectionGroup>
</configSections>
<appSettings/>

<connectionStrings>
    <add name="connect" connectionString="Data
Source=ADEPUTRA\SQLEXPRESS;Initial Catalog=mahasiswa;Integrated
Security=True" providerName="System.Data.SqlClient;" />
</connectionStrings>

<system.web>
```